

AM Systems - Essential Series

TORCH-AM Advertisement Antenna CA3503 Series

Simple & Eye-catching Protection & Promotion

TORCH-AM (CA3503 Series), AM Advertisement Antennas can help to increase the retailer's advertising incomes and makes full use of every inch of space in the store.



**TORCH-AM Classic
CA3503L**



**TORCH-AM Grand
CA3503X**

Key Features

1 SUPERIOR PERFORMANCE

TX Current display
Tag-Too-Close alert
High sensitivity

2 CONVENIENT ADVERTISING

Attractive advertisement
Advertising easily changeable
LED backlit inside

3 PC CONFIGURATION

Software configuration
Waveform display

4 OPTIONAL FEATURES

Remote service

5 EASY CONFIGURATION

Easy installation

Dimensions & Weights

Model	Dimension (H*W*T) (mm)	AD Poster (H*W) (mm)	Weight (kg)
CA3503XC	1570*500*80	1550*480	18.5
CA3503XS	1570*500*80	1550*480	16.5
CA3503LC	1572*400*70	1550*382	11.5
CA3503LC	1572*400*70	1550*382	11.5

Detection Ranges


Tag	RS01	T041
Detection range (both sides) 3503X	1.6~1.8m	1.8~2.0m
Detection range (both sides) 3503L	1.4~1.6m	1.6~1.8m

Specifications


Technical specifications	
Central frequency	58KHz
TX frequency bandwidth	58KHz±500Hz
Power consumption	Master: 200W; Slave: 100W(When light box ON) Master+slave: 50W (When light box OFF)
Fuse of PSU	2A
Alarm audio level	110dB
Light color	Red
Alarm light always ON	Yes
Remote communication module	Addible
Environmental requirements	
Temperature	0~55℃
Relative humidity	0-85%, non-condensing



Modes of Combinations



1 Master antenna



(Multiple transceiver antennas)