

FARO SD247



The new generation of internal recoiler display protection and anti-theft device, continuing the "simple and easy to use" design style, perfectly display the phone/tablet at a 15° Angle, with high security password management system, modular design, rapid disassembly and so on, providing a full range of display anti - theft services for merchandise.

FEATURES

- ▲ Stylish but Streamlined Design
- ▲ Horizontal and Vertical presentation options
- ▲ Internal secured recoiler. Simplified aftersales enabled
- ▲ Multiple security level choices: Standard, Advanced or High protection
- ▲ 360° Rotation Sensor, Locked down allowed
- ▲ 2.4 GHz Remote Control Technology



3M adhesive fixed
phone/tablet



3M adhesive +2-way
clamps fixed phone/tablet



3M adhesive +4-way
clamps fixed phone/tablet



standard cable
(diameter 2.0 and length 60cm)




advanced cable
(diameter 2.4 and length 60cm)



STRUCTURE FUNCTION

1 Type of charging protection cable




3 Installation way with desktop




4 Internal recoiler can be replaced




2 Components




PRODUCT DIMENSION



Left view




Back view



Protection sensor

CLAMP PROTECTION RANGE



The width and thickness range of clamp protection

Unit(mm)	Code	Width a		Thickness b
Two-way protection Range	MC-A1	$57 \leq a \leq 90$		$6 \leq b \leq 9$
	MC-A2	$140 \leq a \leq 245$		$6 \leq b \leq 9$
Four-way protection Range		Width a	Length c	Thickness b
	MC-E1	$57 \leq a \leq 90$	$110 \leq c \leq 190$	$6 \leq b \leq 9$
	MC-E2	$110 \leq a \leq 190$	$140 \leq c \leq 245$	$6 \leq b \leq 9$